
KrishnaMalli Residency

Experience the Joy of Living





FLOOR PLAN



Total Site Area: 347 Sq. Yds

Slab Area : 2010 Sq. ft Parking Area : 375 Sq. ft Total Area : 2385 Sq. ft

Specifications

Structure

RCC Framed structure Raft Foundation Designed for Siesmic loads

<u>Super Structure</u>

Light Weight Red Clay Bricks in Cement Mortor

Painting & Finishing

Interior - Plastering with cement mortor, followed by Birla White Finish by Two coats of Premium Emulsion of Asian Paints Exterior Walls - Plastering with cement mortor, followed by Birla White

Finish by Two Coats of Premium Emulsion of Asian Paints

Flooring

Vitrified Tiles (4x6) for Living, Dining, Kitchen in Bedrooms (4x2)

Toilets

Anti Skid Ceramic Tiles for Flooring and Digital Tiles Dado upto Door Height

Main Door

Teak Wood Frame and Teak Wood Shutters with two coats of Spray polish with Brass Fittings and Internal Lock

Other Doors

Teak Wood Frames with Flush Doors

Windows

Granite Frame with UPVC Windows and MS Safety Grills

Kitchen

Black Granite platform with stainless steel sink, 3ft dado in Glazed Tiles above it

Electrical

Modular Switches of GM/Equivalant make with concealed copper wiring of Finolex/Equivalent

Lifts

Branded V3F Lift of 4 People Capacity with SS Fittings

Parking

Adequate Parking is available at Stilt

Generator

Generator will be Provided for Corridor, Parking, Lift, Bore wells

SKM CONSTRUCTIONS
BUILD YOUR DREAM HOME







